INFORMATION REPORT INFORMATION REPORT

CENTRAL INTELLIGENCE AGENCY

This material contains information affecting the National Defense of the United States within the meaning of the Esplonage Laws, Title 18, U.S.C. Secs. 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.

	C. D. C. D. D. D.			
	S~E~C~R~E	? as 1.		25X1
COUNTRY	Bulgaria	REPORT		25X1
SUBJECT	The Zvenichevo - Simitli Road	DATE DISTR.	30 May 1955	
DATE OF INFO.		NO. OF PAGES	3	
PLACE ACQUIRE	D	REQUIREMENT NO.	RD	25X1
DATE ACQUIRED	This is U	JNEVALUATED Inform	nation	23/1
	SOURCE EVALUATIONS ARE DESIMITIVE ADDE			
				25 X 1
2. The f	road starts in Zvenichevo (N42-12, E2 way line at the southern edge of town Tirst eight kilometers of the Zvenich ecteristics:	1.0		
b. S	idth, five meters; urface, crushed stone and earth; in N42-10, E24-13);	good condition as f	ar as Bratanitsa	
c. Ši d. S	houlder; one meter, both sides; flus traight and level; Bratanitsa viila lat cultivated fields on both sides	h; earth:		
. Eight	to 11 kilometers (Vetren Dol; Nh2-O	9, E24-09):		
b. Su c. Sh d. La	idth, five meters; irface, crushed stone and earth; bum; noulder; one meter, both sides; flus ittice steel girder bridge across Che span, on masonry piers and abutments	ng earth; and	gth: 30 meters;	
• 11 to	26 kilometaws s	!		
a. W1	dths 3-4 meters;			

Surface: crushed stone and earth; in fair condition;

- Road follows the line of the Cherpineka river and the narrow gauge railway to Simitli, crossing and recrossing river nine times and finishing on the left side; all eight of the bridges are identical single span lattice girders (length 12-15 meters); passing bays are located every 200-300 meters along this stretch of the road; and
- Narrow gorge; road is right on the river bank over most of this section, but is well butressed.

25 YEAR RE-REVIEW	See Brok Com Row Brow T	25 X 1
STATE X ARMY X NAVY	(Note: Washington distribution indicated by "X"; Field distribution by "#".)	
NEORM TION R		

S-E-C-R-E-T	
n	

5. 26 to 40 kilometers:

25X1

- a. Width: four meters:
- b. Surface: crushed stone and earth; in fair condition; some ruts and holes;
- c. Shoulder: one meter, both sides; flush; earth;
- d. Road turns south away from river and climbs steadily in a series of hairpin curves, to a height of 2,400 feet at 34 kilometers. From this point it descends into the valley of the Metnitsa river, levelling out at 35 kilometers. 36 to 40 kilometers, road is straight and level with flat fields on both sides; Simitli railway line is immediately to the right of road for most of the way:
- e. 26-36 kilometers: hilly country; no cover; vehicles can leave road at some points. 36-40 kilometers: wide valley; flat fields; and

f. Snow probable in winter.

- 6. 40 to 42 kilometers (Velingrad; N42-01, E24-00);
 - a. Width: eight meters;

b. Surface: paved; and

- c. Road enters Veiingrad across Metnitsa river via 3-span concrete bridge (length: 35 meters), and a second bridge (length: 20 meters), type unknown, in center of town.
- 7. 42 to 66 kilometers:
 - a. Width: three to four meters;
 - b. Surface; earth; in bad condition; deep ruts and crumbling in some places;
 - c. Shoulder: one meter, both sides; intermittent and not always flush;
 - d. Narrow road winding steadily upwards, except between 62 and 64 kilometers, (where it descends slightly) and reaching height of 4500 feet at 66 kilometers; many sharp curves and hairpin turns;
 - e. 42-56 kilometers: narrow wooded valley; impossible to leave road; 56-66 kilometers: open hilly country; pasture and pine woods alternating; vehicles can leave road at few points; and
 - f. Heavy snow probable in winter; not suitable for heavy vehicles.
- 8. 66 to 79 kilometers:
 - a. Width: three to four meters;
 - b. Surface: earth; in bad condition; deep ruts and crumbling in some places;
 - c. Shoulders O-1 meter, both sides;
 - d. Road descending towards Yakoruda; numerous S-turns and hairpin turns; 72 kilometers; Small railway bridge above road; road crosses to left of Simitli railroad line; 75 kilometers; Road crosses to might of railroad line;
 - 75 kilometers: Road crosses to right of railway via level crossing; 77 kilometers: Double-span deck-type concrete bridge (length: 50 maters) on masonry piers:
 - e. Mountainous country with occasional patches of cover; impossible to leave road except at one or two points; and
 - f. Not suitable for heavy vehicles.
- 9. 79 to 80 kilometers (Yakoruda; Nh2-02, E23-40):
 - a. Width: four to five meters;
 - b. Surface: Earth; badly rutted; and
 - c. Shoulders one meter, both sides: flush.

meters;
y rutted; and
both sides; flush.
25X1

S=E-C-R-E-T
25X1

S-E-C-R-E-T

			25X1
		. 3 s	
10.	80 to 110 kilometers	18	
	d. Narrow, undulatiing and recrossie. 80-103 kilometer cultivated field		
11.	110 to 111 kilometer	s (Banya; N41-53, E23-32):	
	a. Width: five meteb. Surface: earth;c. Shoulder: one me	rs; in bad condition; and ter, both sides; flush.	
12.	lll to 115 kilometer	S 8	
	c. Shoulders one me	rs; stone and earth; in fair condition; ter, both sides; flush; ing road; no sharp curves; and	
13.	115 to 118 kilometer	s (Razlog)	
	a. Width: eight metb. Surface: paved;c. Road crosses to		
14.	118 to 154 kilometer	s (Simitli; N41-53, E23-07):	
	c. Shoulder: one me d. Curving, undulate curves; small wo Struma river at a four-span; lengt: e. Valleys of the R range to left; se	stons and earth; good condition; ter, both sides; flush; ing road; in excellent condition; no steep hills or sharp oden bridges between 118 and 125 kilometers; bridge over entrance to Simitli (through-type steel lattice girder; n; 120 meters); ableve and Elovitsa rivers; Rila range to right and Pirin ome cover; vehicles can leave road at some points; and	
	f. Suitable for all	vehicles.	
			25X1

Approved For Release 2009/07/22 : CIA-RDP83-00418R000300110002-0

25X1

S-E-C-R-E-T